




CM Fascia System Fabric/Tube Deduction





CM Fascia System Fabric Drop



	Ceiling mount Fabric RdI MAX. DIA: 76mm		Wall mount Fabric Roll Max Dia. 76mm	
	3TU tube	2TU/T46 tube	3TU tube	2TU/T46 tube
Z-SCREEN	12.5'(3.80m)	14'(4.20m)	125'(3.80m)	14'(4.20m)
BLACK OUT	33'(10m)	37'(11.20m)	33'(10m)	37'(11.20m)


CM Clutch Maximum Recommended Holding Weight					
Item #	Light to Medium Weight Fabric	Medium to Heavy Weight Fabric			
CM-2CX/2CR 1 ½" CLUTCH will lift up to 16lbs	96"(Width) X 180"(Drop) 2.4m(Width) X 4.5m(Drop)	96"(Width) X 108"(Drop) 2.4m(Width) X 2.7m(Drop)			
CM-3CX 1 ¾" CLUTCH will lift up to 24lbs	108"(Width) X 180"(Drop) 2.7m(Width) X 4.5m(Drop) OR 96"(Width) X 312"(Drop) 2.4m(Width) X 7.9m(Drop)	108"(Width) X 120"(Drop) 2.7m(Width) X 3.0m(Drop) OR 96"(Width) X 192"(Drop) 2.4m(Width) X 4.8m(Drop)			



CM Fascia System with Side Channel Fabric/Tube Deduction


with end cap

Note: Please position both end of fabric 1/8" away from end of tube respectively.



without end cap

Note: Please position both end of fabric 1/4" away from end of tube respectively.



For example: Window opening width: 24" Tube width: 22-3/8"

Fabric width: 22-1/8"


For example:

Window opening width: 24" Tube width: 22-5/8" Fabric width: 22-1/8"



CM Fascia System with Intermediate bracket Fabric/Tube Deduction

with END CAP



Total Tube/Fabric deduction for Intermediate Support(with end cap) = <u>1 - 5/16"</u> + 1 - 1/16" = 2 - 3/8"

without END CAP

